



SEVA NURSING COLLEGE

(RECOGNISED BY INDIAN NURSING COUNCIL, DEHLI. MAHARASHTRA NURSING COUNCIL, MUMBAI. MAHARASHTRA GOVERNMENT AND MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK).

SKH - Estd.29/10/1965

REG.No.E-120/Ahmednagar

☎ (02422) 221104, Mob No.7887562113

• Email : sevanursingcollege@gmail.com,
sakharkamgar@gmail.com

• Fax: (02422) 223890

• MUHS Code: 153121

• INC Code: 1903162

Annexure-V

Clinical Material in Hospital

Faculty: Nursing

Name of College: Sakhar Kamgar Hospital Trusts Seva Nursing College, Shrirampur,,Ahmednagar.

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Bed capacity	Adequate /Inadequate
a	Memorandum of Understanding of Parent hospital – Sakhar Kamgar Hospital Trusts Seva Nursing College, Shrirampur	SKH300	Adequate
	Memorandum of Understanding of Affiliated hospital – Shri Saibaba & Sainath Hospital, Shirdi.	Saibaba Hospital:300 Sainth Hospital:300	Adequate
	Memorandum of Understanding of Affiliated hospital – Psychiatric Hospital: Shanti Nursing Home	Shanti Nursing Home:80	Adequate
	Memorandum of Understanding of Affiliated hospital – Psychiatric Hospital: Dr, Unde Hospital, Shrirampur	Dr, Unde Hospital, Shrirampur:50	Adequate
b	Whether Hospital is registered under any act under local authority such as Corporation, Municipality, Gram-Panchayat, etc.	Yes	
c	Student bed ratio UG to be verified (as per Minimum Standard Requirement)	1:3	
d	Average Bed Occupancy in Percentage: (minimum 75%)	80 %	
e	Clinical facilities for UG to be verified:(As per MSR):		
	i) Whether OPD is functioning to be verified	Yes	
	ii) Total No. of OPD (on the day of inspection)	Uploaded	
	iii)Average No. of patients attending OPD(current year)	Uploaded	
	iv)Average No. of Delivery (current year)	Uploaded	
	v) Average No. of abnormal delivery (current year)	Uploaded	

As per Indian Nursing Council/MUHS norms, above infrastructure must be available at college.

If infrastructure is available, then mark "adequate" & do not attach any documents.

In case of "inadequate", it must be mark as "inadequate" with evidence.

S. Phasate
Principal


Seva Nursing College
Sakhar Kamgar Hospital Trust's
Shrirampur, Dist. Ahmednagar



महाराष्ट्र MAHARASHTRA

2022

14AA 961157



MEMORANDUM OF UNDERSTANDING

The management of Sakhar Kamgar Hospital Trust, Shrirampur, Dist- Ahmednagar – 413709 (hereinafter referred to as trust) through its Managing Trustee **Mr. Dnyandev B. Aher**, Sakhar Kamgar Hospital Trust's Seva Nursing College, Shrirampur on one part,

AND

The Principal, Sakhar Kamgar Hospital Trust's Seva Nursing College, Shrirampur on one part,

I Mr. Dnyandev .B. Aher as a Managing Trustee of Sakhar Kamgar Hopital Trust, Shrirampur on Behalf of Sakhar Kamgar Hospital Trust, Shrirampur give this Memo random of understanding that the Board of Trustees of Sakhar Kamgar Hospital Trust, Shrirampur has passed a resolution in their meeting held on 23/09/2022.

Mr. Dighe Rushikesh M.



GOVT. OF MAHARASHTRA



HEALTH SERVICES

DISTRICT HOSPITAL, AHMEDNAGAR

Certificate of Registration under section 5 of the Bombay Nursing Homes Registration Act- 1949

Renewal

This is to certify that is **SHRI AVINASH DAMODAR APTE** had been requested under the Bombay Nursing Homes Registration Act 1949.in respect of **SAKHAR KAMGAR HOSPITAL** situated at **WARD NO.6, NEWASA ROAD, SUBHASH COLONY, SHRIRAMPUR** and has been Authorised to carry on the said Nursing home.

Registration No - 158

Mat. - 52

Date of Registration - 31/03/2008

Other - 248

Place - Ahmednagar

Total - 300 Beds

Date of issue of certificate - 06/04/2023

This Certificate of Registration shall be valid upto **31st March 2024 (Twenty Four)**



Signature of Registering Authority

Civil Surgeon

General Hospital, Ahmednagar

Copy to-Medical Superintendent,Sub District Hospital, Shrirampur Dist.Ahmednagar

Note – 1) Rights reserved to cancel certificate by issuing authority if any documents found to be incorrect.

2) As per Terms and Conditions Mentioned in our Letter.

						(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of C to O & EC. The consent shall be issued subject to obtain BG as per C to E and EC compliance report from SRO.
Agenda C: Renewal of Consent						
1	MPCB- CONSENT- 0000088854	WATERGRACE PRODUCTS SUREVE NO- 122,GEVRAI TANDA,PATOD A SHIVAR,PAITH AN ROAD,AURANG ABAD	Not approved Combined Consent & BMW Authorizatio n , Consent to Renewal	--	PSO	Committee noted that Applied for CCA renewal of BMW CTF for Aurangabad district. This case was discussed in 36th CC meeting 20.03.2023 and as per decision of CC the SCN for refusal was issued on 28.03.2023. PP has submitted the reply on 31.03.2023 received at HQ on 11/04/2023. As per BMW Rules,2016 & CPCB guidelines minimum land required for CTF is 1.0 acre(4000 Sq.mtr), thus present land is insufficient. Not submitted BG of Rs. 20.00 Lakh. Requested for waiver off. The applicant needs to submit to Bank Guarantee on it is eligible for proportionate forfeiture on account of non-compliances earlier reported. Copy of BG of 10 lakh is submitted. The BG expired on 30.12.2021. Not substantiated with BG forfeiture record, Also RO Aurangabad has not confirmed BG forfeiture as claimed. As per submission renewal of agreement is in process. Official Confirmation from Municipal Commissioner, Aurangabad Municipal Corporation need to be called to confirmed period of renewal, if considered. After due deliberation, it was decided to issue final refusal to CCA renewal in account of non-submission of Bank Guarantee of Rs.20.00 Lakh, not having land as per BMW Rules, 2016 and non-submission of renewal agreement with A'bad Municipal Corporation.
2	MPCB- CONSENT- 0000130769	Sakhar Kamgar Hospital Ward	Approved Combined Consent &	31/05/2025	PSO	Committee noted that HCE has applied for grant of renewal of CCA for 150 beds.

		No- 6, Newasa Road, Shrirampur	BMW Authorization , Consent to Renewal			Board has issued SCN to HCE on 22/11/2022 for non-submission required information as mentioned below and SRO A 'Nagar directed to submit the BG compliance with JVS report. - HCE applied after 172 days from expiry of CCA. Explanation is required. - HCE submitted TPA – 10500.0 sq. mtr. & BUA – 840.0 sq. mtr., but as per earlier CCA BUA was 480 sq. mtrs. Hence, architect certificate for area details is required. - Quantity of biological sludge generation from STP & its disposal is not mentioned and information of laundry activity not submitted. - HCE has not submitted details of temporary BMW storage arrangement. - HCE has not submit BG of Rs. 1.75 lakhs as per earlier CCA. - C.A. Certificate for C. I. for the period of 2021- 22 is required with land cost as per ready reckoner, explanation & fees for increase in capital investment. 1. HCE has submitted the reply to SCN and SRO A'Nagar has submitted BG compliance Report. After due deliberation CC decided to Grant CCA Renewal upto 31/05/2025 by imposing Std Bg as per BG regime.
3	MPCB- CONSENT- 0000148789	SHOGINI TECHNOARTS PVT LTD GAT NO. 788, 755, 789, 760, A/2, 758 KHED- SHIVAPUR, TAL. HAVELI, DIST. PUNE	Approved Renewal of Consent to operate	28/02/2024	APC	Committee has noted that, Application was discussed in 33rd CC meeting held on 01/03/2023. As per CC decision show cause notice for refusal of renewal of consent was issued on 23/03/2023. PP has submitted compliance of show cause on 04/04/2023. It was decided to grant renewal of consent for production of Printed Circuit Board – 25,000 Sq. Meters / Month with following conditions, - PP shall submit penal fee as PP has taken additional production without consent to operate. - PP shall carry out revamping and retrofitting of existing ETP to adopt ZLD within 3 months. - Forfeit Bank Guarantee of Rs. 5 lakhs out of existing BG of Rs. 10 lakhs as PP has not achieve consented std. Obtain double Bank Guarantee i.e Rs. 15 Lakhs from industry towards O & M.

Index-C-Consent to Renewal-6th Consent Committee Meeting of 2023-24 held on 07.06.2023

Sr No	Application Unique Number	Industry Name & Address	Capital Investment	Applied For	Section
1	MPCB-CONSENT-0000088854	WATERGRACE PRODUCTS SUREVE NO-122,GEVRAI TANDA,PATODA SHIVAR,PAITHAN ROAD,AURANGABAD	81.64	Combined Consent & BMW Authorization , Consent to Renewal	PSO
2	MPCB-CONSENT-0000130769	Sakhar Kamgar Hospital Ward No- 6, Newasa Road, Shrirampur	358.67 , Required C.A. certificate as on 31.03.2022 with land cost as per ready reckoner.	Combined Consent & BMW Authorization , Consent to Renewal	PSO
3	MPCB-CONSENT-0000148789	SHOGINI TECHNOARTS PVT LTD GAT NO. 788, 755, 789, 760, A/2, 758 KHED SHIVAPUR HAVELI	74.28	Renewal	APC
4	MPCB-CONSENT-0000149758	Nesco Limited Same as location of unit Nesco Center, CTS No. 223/A/1, 223/1, 225, 239/A, 240, 241, 241/1 to 6, 242/B, 243/A, 248/A Western Express Highway, Goregaon (E), Mumbai 400063 Village Goregaon, Taluka Borivali	187.6	Renewal	WPC
5	MPCB-CONSENT-0000148587	M/s. Maharashtra Vidyut Nigam Pvt. Ltd C-1 Plot No C-1, MIDC Industrial Growth Centre, Deoli, Tah-Deoli, Dist.Wardha Deoli	76.85	Renewal	APC

6	MPCB-CONSENT-0000150405	Central workshop Tadali, Western Coalfields Limited 077607 and 135711 Urjagram Chandrapur	54.83	Renewal	APC
7	MPCB-CONSENT-0000151454	ARV New Town S. No 14/1, 14/2, 14/3, 14/4, 14/5, 14/6, 14/7, 15/4, 16/3/3, Pisoli, Tal. Haveli, Dist Pune Pisoli, Haveli	45.91	Renewal	WPC
8	MPCB-CONSENT-0000152372	M/s Super Auto India Limited Gat No - 308, Nanekarwadi Chakan Khed	64.55	Renewal	APC
9	MPCB-CONSENT-0000154572	M/s Mindspace Business Parks Pvt Ltd. (Formerly Known as K Raheja Corp Pvt Ltd.) Building no. 5 (CTO Survey No. 144 & 145 Survey No. 144 & 145, CTS nos 2648 & 2649 at Village- Yerwada Tal- Haveli, Dist- Pune. Haveli	140.77	Renewal	WPC
10	MPCB-CONSENT-0000157547	~CTO~ for ~Residential project: Ovo~ of M/s. Lushlife Properties LLP Survey No. 19/2, 19/3, 19/4 Village Undri Haveli	98.7633	Renewal	WPC
11	MPCB-CONSENT-0000139885	M/s. Ankit Enterprises- "Allura" 13(P),14(P),15(P) and 19(P) Undri Haveli	229.2504	Renewal	WPC
12	MPCB-CONSENT-0000157426	TECHNOCRAFT INDUSTRIES (INDIA) LTD. (GARMENT DIVISION) GAT NO.374-377, 407-408 VILLAGE-DHANIVALI MURBAD 421401	112.5	Renewal	WPC

13	MPCB-CONSENT-0000156639	Deepak Nitrite Limited Plot No. 1-8, 26-34 MIDC Dhatav Roha	73.4114	Amendment in Consent to Operate under Change in Product Mix	AST
14	MPCB-CONSENT-0000158855	M/S. SADHANA NITROCHEM LTD. PLOT NO. 47 MIDC DHATAV ROHA	116.1178	Renewal of Consent to Operate	AST
15	MPCB-CONSENT-0000158312	M/s. Platinum Construction - Pride Platinum As per previous Consent copy. Baner Haveli	127.41	Renewal	WPC
16	MPCB-CONSENT-0000160308	Shyam Indofab Private limited T1 MIDC Addl Amravati Industrial Area, Village Sawardi Amravati	116.2358	Renewal	WPC
17	MPCB-CONSENT-0000160294	M/S Belrise Industries Limited (erstwhile Badve Engineering Limited)-II GUT NO.-15, NAIGAVAN KHANDEWADI TQ. PAITHAN DIST. AURANGABAD PAITHAN	76.48	Renewal of Consent to Operate with change in name from Badve Engineering Ltd. â€” II to M/s. Belrise Industries Limited, for electroplating activity.	AST
18	MPCB-CONSENT-0000160464	Bramha Multicon Pvt. Ltd. "Bramha Sky City" Survey No. 25 + 25A Dhanori Haveli	69.7981	Renewal	WPC
19	MPCB-CONSENT-0000159522	Emerson Climate Technologies(India) Pvt. Limited Gat No.-119 Atit Pali Road Satara	138.2744	Renewal	APC
20	MPCB-CONSENT-0000162306A	Ipca Laboratories Ltd. Unit-II Unit-II, Plot No. G- 4 to G-7 MIDC, Waluj, Aurangabad Gangapur	87.16	Establish with change in product mix	AST


Certificate of Registration for Membership of Common Biomedical Disposal Facility as per Authorization for Generation, Collection, Reception, Segregation, Storage, and Disposal of Bio-Medical Wastes under Rule 1998 & amended there on.

Registration No. : SRD / 95
Date of Registration : 02nd January. 2019.
Date of Issue of Certificate : 25th January. 2023.
Place : Ahmednagar.
Name & Address : Dr. Apte Avinash Damodar.
Sakhar Kamgar Hospital.
Ward No.6, Newasa Road, Shrirampur,
Tal : Shrirampur, Dist : Ahmednagar.
Type of Institute : Hospital.
No. of Beds : 300 (Three Hundred Only)
Approx. Qty. of Waste Generated/day: 45 To 55 Kg.

This Certificate is valid from 25th January 2023 to 24th January 2024.

This is to certify that above Doctor / Institute is registered with us and having membership of our CBMWTSDf for collection, transportation & disposal of biomedical waste generated at his / there institute.

Note :- In case of violation of BMW rules 1998 & amended there on or default for due payments of BMW Services all rights are reserved with signing authorities for cancellation of this certificate.



For, Bioclean Systems (India) Pvt. Ltd.
Ahmednagar.



Ahmednagar Office :
Nilayam Housing Society,
Near John Deere Tractors Showroom,
Nagar-Pune Road,
Ahmednagar - 414 001.
Ph : (0241) 2324131, Mob. 9225322576

Solapur Office :
Plot No. OD, Uma Sahakari
Gruhnirman Sanstha Maryadit,
Solapur, T.P. Scheme No. 4,
Final Plot No. 125/2, Juni Mill Compound,
Murarji Peth, Solapur-1.
Phone : (0217) 6451070, 2324289

Pune Office :
Building No. A-10,
Flat No. 6, Meeranagar,
Koregaon Park,
Pune - 411001 (M.H.).



महाराष्ट्र MAHARASHTRA

© 2021 ©



MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding (MOU) is drawn on the _____ day of December 2022]

BETWEEN

Trustee,

Shri Sai Baba Santhan,

Shirdi, Tal:- Rahata

Dist:- Ahmednagar

Maharashtra

Having its office at Shri Sai Baba Santhan, Shirdi, Tal. Rahata, Dist. Ahmednagar, Maharashtra.

Matron having the authority to execute contracts on behalf of the trust whereas the trust owns and manages various hospitals within its territorial jurisdiction.

Whereas Sakhar Kamgar Hospital, Seva Nursing School established in the year 2006 in ANM and 2011 GNM duly recognized by Indian Nursing Council New Delhi, Maharashtra Nursing Council Mumbai and approved by Government of Maharashtra Vide GR No. NUR- 2011/CR318/11/Edu-1, Mantralaya, Mumbai-400032, dated 20 Sep. 2019, Seva Nursing College (B.Sc. Nsg) recognized by State Govt. GR NUR 2016/C.R.79/16/Education-1 (40 Seat) Mumbai 400001, dated 19 Jul 2017; MUHS Nashik, MNC Mumbai & Seva Nursing College (P.B.Sc. Nsg) recognized by State Govt. GR NUR 2022/C.R.361/22/Education-1 (60 Seat) Mumbai 400001, dated 24 Nov 2022; MUHS Nashik, MNC Mumbai and Managing Trustee of Seva Nursing School, & Seva Nursing College Sakhar Kamgar Hospital Trust, Shrirampur having being authority to enter into agreement for providing practical training of student nurses of the **(RGNM & B.Sc. Nsg. & Post Basic B. Sc. Nsg.) at Shri Sai Baba Santhan, Saibaba & Sainath Hospital under Shri Sai Baba Santhan, Shirdi Trust.**

And whereas the Shri Sai Baba Santhan, Shirdi Trust in its executive/ management committee meeting passed resolution No.696/2015 dated 23/07/2015 and 699/2015 dated 27/07/2015 allowing Sakhar Kamgar Hospital Trust Seva Nursing School Seva Nursing College to use at Shri Sai Baba Santhan, Saibaba & Sainath Hospital under Shri Sai Baba Santhan, Shirdi for practical training / clinical experience for its student Nurses.

Now therefore following terms and conditions have been prescribed and those have been accepted by both the parties.

1. Sakhar Kamgar Hospital, Seva Nursing School established in 2006.
2. Shri. Sai Baba Santhan, Shirdi Trust hereby allows Sakhar Kamgar Hospital, Seva Nursing School & Seva Nursing College to use Saibaba & Sainath Hospital under Shri Sai Baba Santhan, Shirdi practical training / clinical experience and to conduct examination for its GNM student Nurses total 80, B.Sc. Nsg student Nurses total 40 & P.B. Sc. Nsg student Nurses total 60 as per Batch sanctioned by Indian Nursing Council.
3. Shri Sai Baba Santhan Shirdi Trust will not pay any remuneration to said student nurses on its account.
4. Sakhar Kamgar Hospital, Seva Nursing School & Seva Nursing College will not claim any type of fund or grant

from the Shri Sai Baba Santhan, Shirdi Trust for this educational activity.

5. In consideration for the facility of practical training field made available, Sakhar Kamgar Hospital, Seva Nursing School & Seva Nursing College will see that their students provide quality nursing care to the assigned clients/ patients.
6. The faculty Lecturer/Clinical Instructor will accompany students for day today supervision and guidance during their posting in the hospital.
7. Sakhar Kamgar Hospital, Seva Nursing School & Seva Nursing College will ensure that the students maintain discipline during their clinical posting in various departments/Wards of the hospital.
8. Sakhar Kamgar Hospital, Seva Nursing School & Seva Nursing College will ensure that the student nurses attend the hospital duty regularly and in time (as per planned schedule).
9. The students will be rotated as per plan from 1st Dec 2022 to 30 Nov 2025.
10. This agreement is valid for period of **THREE YEARS** from the date of this agreement and renewable thereafter.

1. a) Name :- Mrs. Thozet Manda Sanjay.

b) Address:-

Shri Sai Baba Santhan,
Shirdi, Tal:- Rahata
Dist:- Ahmednagar
Maharashtra

Sign


16/12/2022
Assist. Matron
Shri Saibaba Hospital, Shirdi

2. a) Name :- Mr. Aher Dhyandev Bhagwant

b) Address:-

Managing Trustee,
Seva Nursing School,
Seva Nursing College,
Sakhar Kamgar Hospital Trust,

Sign


MANAGING TRUSTEE
Sakhar Kamgar Hospital Trust's
Seva Nursing College
Shrirampur, Dist. Ahmednagar



GOVT. OF MAHARASHTRA



HEALTH SERVICES

DISTRICT HOSPITAL, AHMEDNAGAR

Certificate of Registration under section 5 of the Bombay Nursing Homes Registration Act- 1949

Renewal

This is to certify that is EXECUTIVE OFFICER, SHRI SAIBABA SANSTHAN VISHWASTHA
VYAVASTA, SHIRDI had been requested under the Bombay Nursing Homes Registration Act
1949.in respect of SHRI SAINATH HOSPITAL situated at AT.POST. SHIRDI, RAHATA and has
been Authorised to carry on the said Nursing home.

Registration No - 115

Mat. 42

Date of Registration - 15/12/2007

Other 258

Place - Ahmednagar


Total 300 Beds

Date of issue of certificate - 01/04/2022

This Certificate of Registration shall be valid upto 31st March 2025 (Twenty Five)

(Medical Superintendent, Rural Hospital, RAHATA)




Signature of Registering Authority
Civil Surgeon
General Hospital, Ahmednagar

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

No:- Format1.0/CAC/UAN No.0000070279/CO - 2103000415

Date: 08/03/2024

To,
Shri Saibaba Sansthan Trust's Shri Saibaba Hospital,
Ap.- Shirdi, Tal, Rahata,
Dist:-Ahmednagar.

Sub: Combined Consent and BMW Authorization

- Ref:**
1. Bio-Medical Authorization granted by the Board vide no. MPCB/PSO/BMW/Nashik/2013-29 Dated 21.09.2013
 2. Your application of combine consent and BMW Authorization dated 28.03.2019
 3. The minutes of Consent Appraisal Committee meeting dated 14.01.2020

Combined Consent to Operate and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Operate and BMW authorization is granted upto: 31.03.2021**
2. **The capital investment of the project is Rs.42.5334 Crs. (As per C.A Certificate submitted by industry).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	300	Nos
b)	Total Plot Area	8000.00	Sq.Mtrs
c)	Total Built up Area	3632.08	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	2.0	As per Schedule -I	Treated effluent shall be recycle up to maximum extent and remaining shall be used on land for gardening / dispose in to sewerage system provided by Local Body

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	100	As per Schedule - I	As above

5. **Conditions under the Air (P & CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [1010 KVA]	1	As per Schedule -II
2	DG Set [500 KVA]	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Dry Waste	65	Kg/Day	Composting/ Recycle	used as a manure/ recycle
2	Wet Waste	135	Kg/Day	Composting	In to Bio gas plant/ manure
3	STP Sludge	5	Kg/Day	composting	Used as a manure

8. **Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	70.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	1300.00		
		d) Expired or Discarded Medicines	55.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	65.00		
2	Red	Contaminated waste (Recyclable)	140.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	90.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
4	Blue	a) Glassware	190.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body implants	30.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization


1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.

- f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok Shingare IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	375000.00	5452648	05/08/2019	NEFT
2	366250.00	MPCB-DR-4357	11/02/2021	NEFT
3	50000.00	5452653	05/08/2019	NEFT

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahmednagar
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 13.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank) .
B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100 mg/l
(6)	COD	250 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 150 CMD for the treatment of 100 CMD of sewage.
B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards:

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	120.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.50
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	DG Set [1010 KVA]	Acoustic encloser and stack	9	Diesel	110 Ltr/Hr	1.00	52.80
S-2	DG Set [500 KVA]	Acoustic encloser and stack	6	Diesel	80 Ltr/Hr	1.00	38.40

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

**** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.**
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	Rs. 50,000/-
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	Rs. 50,000/-

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	Rs. 25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	Rs. 25,000/-
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	Rs. 50,000/-

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV


General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules -1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok Shingare IAS),
Member Secretary





महाराष्ट्र MAHARASHTRA

2022



MEMORANDUM OF UNDERSTANDING

The management of (here in after referred to as Nursing College) through their Authorized Officer Mr. Dhyandev B. Aher, Sakhar Kamgar Hospital Trust's Seva Nursing College, Shirampur on one part,

AND

The Management of Society for Psychiatric Update and Research, Shanti Nursing Home, Kanchanwadi, Paithan Road Aurangabad 431 005 (here in after referred to as SPUR) through its President Dr. Vinay Laxmikant Barhale, on the other part.

Hereby, mutually execute an agreement which reads as under:

That

1. Sakhar Kamgar Hospital Trust's Seva Nursing College, Shirampur is running a GNM, B. Sc Nsg & PB B.Sc. Nsg Nursing courses which is affiliated to MSBNPE & Maharashtra University of Health Sciences, Nashik respectively.

[illegible]

2. As a part of the curriculum of P B.Sc. Nursing & B.Sc. Nursing course prescribed by Indian Nursing Council, New Delhi Nursing students need to take training in Psychiatry discipline.
3. The Society for Psychiatric Update and Research, Shanti Nursing Home will Provide such training (theory and practical either or both) to the Nursing students of the said college, in the discipline. 'Psychiatric Nursing '
4. The Sakhar Kamgar Hospital Trust's Seva Nursing College, Shrirampur will pay the Affiliation charges of Rs. **25,000/-** (Twenty five thousand only) to SPUR at the time of permission granted for affiliation. The tuition fees will have to be paid to the SPUR every year, at the time of posting commencement. The amount of tuition fees per student will be decided by the management of the Society.
5. The affiliation will be valid for one batch of each course per year.
6. This MOU agreement will be valid for a period of three years from **1st January 2023 to January 1st 2026** for GNM, BSc Nsg and P.B.B.Sc. Nursing Courses. Effective date will be the date of signing months, every year.

7. The terms of this agreement are however, subject to revision/ modification after a period of 12 months, every year.
8. This Agreement can be terminated by either party, by giving 45 days' notice in writing or proportionate amount in lieu thereof.

For: Sakhar Kamgar Hospital Trust's Seva Nursing College, Shrirampur

Witness







(Authorized Person Name)

Ms. Shubini P. Bhosale
Principal

Seva Nursing College, Shrirampur


Place: Shrirampur

Date: **Principal**

Seva Nursing College
Sakhar Kamgar Hospital Trust's
Shrirampur, Dist. Ahmednagar

For Society for Psychiatric update and Research

Witness





Dr. Vinay L. Barhale
(President)
Society Seal
Place: Aurangabad
Date:



(Name)

Mrs. Sai Chhapalgaonkar

Section 8
Sec Rule 16



48 - A
Annexure II

Renewal of License For Psychiatric Hospital / Nursing Home

I Dr. SADHANA TAYADE Director of
Health Services, Maharashtra State Mumbai by the authority vested
in by the State Mental Health Authority vide Government Notification
PHD No.MIS-1088/CR-188/PH-3 Dt. 29th March 1995 under section 8
of Mental Health Act 1987 hereby declare that I am satisfied after
inspection of Shanti Nursing Home & Barchale
Medical centre Pvt. Ltd.

I hereby allow *renewal of license* for the Psychiatric Hospital/Nursing
Home by Dr. Vinay Lakshmikant Barchale
At Shanti Nursing Home Kanchanwadi Pritham
road, Aurangabad Tel No.
From 28/11/2019 till 27/11/2024
License No. 45/2019

SEAL



Place : MUMBAI

Date :

[Signature]
Licensing Authority
Government of Maharashtra

संचालक, आरोग्य सेवा

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/S.S.I

Date: 09/01/2023

No:- Format1.0/PSO/UAN No.0000154695/CO/2301000824

To,
DR. BARHALE MEDICAL CENTRE PVT. LTD.
Gut No-8, Shanti Nursing Home, Kanchanwadi,
Paithan Road, Aurangabad-431005

Email: snh_abad@rediffmail.com
Contact No.:9860798055



Your Service is Our
Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/Bo/PSO/HOD-2001001977 dated 29/01/2020.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 30/11/2022
 3. Scrutiny letter dated 07/12/2022.
 4. Document uploaded on 09/12/2022.
 5. Email dated 05/01/2023
 6. Document uploaded on 05/01/2023,06/01/2023 & 09/01/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **04-12-2022 To 30-11-2032**
2. The capital investment of the HCF is **₹571.49** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 4497.00 M² with Built-up area 881.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **80 Nos.** (As per BNH certificate no. 57 valid upto 27-11-2024)

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 21.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	MT/A	At CHWTSDf

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Water Grace Products, Aurangabad** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per SRO, MPCB, Aurangabad Process Remark you have installed STP hence The Bank Guarantee of Rs. 2.00 Lakh is eligible for release
18. You shall submit the bank guarantee of Rs.75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non-submission of B.G. in specified time shall attract revocation of this CCA without further notice



74772cfb
9a4ca635
ca96eb3a
d71123ef
a59d0b2f
392ea611
7b844e85
6a171a1f

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-01-09 18:14:32 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2212000295	02/12/2022	Online Payment
2	51500.00	TXN2301000726	05/01/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Aurangabad I
- - Regional Officer, MPCB, Aurangabad directed to ensure submission of fresh Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance.
Sub Regional Officer, Aurangabad directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	17	As per clause 'C'	50 % recycle reuse for onland gardening and 50 % to Municipal Sewer line.
2	Trade effluent	1	As per clause 'C'	Through STP.

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent.

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG SET(62.5 KVA)	Diesel	10.00 Ltr/Hr	10.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	30.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	50.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
3	White (Translucent)	Waste sharps including Metals	50.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
		b) Metallic body implants	0.00		

Responsibilities of the CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Water Grace Products, Aurangabad** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





महाराष्ट्र MAHARASHTRA

2022

14AA 961156



MEMORANDUM OF UNDERSTANDING

The management of Sakhar Kamgar Hospital Trust, Shrirampur, Dist- Ahmednagar – 413709 (hereinafter referred to as trust) through its Managing Trustee Mr. Dnyande B. Aher, Sakhar Kamgar Hospital Trust's Seva Nursing College, Shrirampur on one part,

AND

The Unde Hospital, Subhas Colony, Ward No. 06, Shrirampur Dist- Ahmednagar- 413709 (hereinafter referred to as Pvt. Hospital) through it's Dr. Sunil Bappusaheb Unde on one part,

Hereby, mutually execute an agreement which reads as under:

THAT

1. SakharKamgar Hospital Trust's Seva Nursing School & Seva Nursing College, Shrirampur is running a GNM, PBBSc Nsg & B.Sc. Nursing courses which is affiliated to MSBNPE & Maharashtra University of Health Sciences, Nasik respectively.

स्वास्थ्य प्रकाश अनघाट कमाळ

स्व नोटिफिकेशन करणारे असेल तो

दिनांक १०/१२/२०२२ असेल त्या दिनांकाने निदेशक कार्यालयात नसत

संश्लेषित वार्षिक

विद्वत् स्वयं

प्राकृतिक धर्मशास्त्रात नसत

सन्ध्या पत्रिकात नसत

स्वतः असल्याकरीत्या नसत व पत्रा

प्राकृतिक धर्मशास्त्रात

प्राकृतिक धर्मशास्त्रात नसत व पत्रा

प्राकृतिक धर्मशास्त्रात नसत

प्राकृतिक धर्मशास्त्रात नसत



S. L. P. Kamgar 10317/1994

पुणे नगरपालिका

पुणे नगरपालिका, वी. ए. नं. १०, विभाग

१. कायदासाठी जबाबारी पुरावा देण्यासाठी त्यांनी त्यांचे कायदासाठी

पुरावा देण्यासाठी त्यांनी त्यांचे कायदासाठी

2. The Unde Hospital, Subhas Colony, Ward No. 06, Shrirampur will Provide such training (theory and practical either or both) to the Nursing students of the said college, in the discipline. 'Psychiatric Nursing'
3. The Sakhar Kamgar Hospital Trust's Seva Nursing School & Seva Nursing College, Shrirampur will pay the Affiliation charges as also to the Hospital before commencement of the program me.
4. This MOU agreement will be valid for a period of three years from 1st January 2022 to December 31st 2025 for GNM, BSc Nsg and P.B.B.Sc. Nursing Courses. Effective date will be the date of signing months, every year.
5. The terms of this agreement are however, subject to revision/ modification after a period of 12 months, every year.

6. This Agreement can be terminated by either party, by giving 45 days' notice in writing or proportionate amount in lieu thereof.

For: Sakhar Kamgar Hospital Trust's Seva Nursing College, Shrirampur



(Mr. Dnyandev Bhagwant Aher)

Managing Trustee **MANAGING TRUSTEE**

Place: Shrirampur Sakhar Kamgar Hospital Trust's

Date: Seva Nursing College
Shrirampur, Dist. Ahmednagar.


Witness


Mr. Shaikh Ajmuddin R.

For Unde Hoospital


Dr. Sunil Unde
Dr. Sunil Bapusaheb Unde
M.D. (Psy.)
Unde Hospital
Consultant Psychiatrist
Shrirampur, Dist. Ahmednagar 43176
Date:

Witness


Mr. Ravindra Pawar

Section 8
See Rule 16



सत्यमेव जयते

48 - A
Annexure II

Renewal of License For Psychiatric Hospital / Nursing Home

I...Dr...Sanjiv...Kamble.....Director of
Health Services, Maharashtra State Mumbai by the authority vested
in by the State Mental Health Authority vide Government Notification
PHD No.MIS-1088/CR-188/PH-3 Dt. 29th March 1995 under section 8
of Mental Health Act 1987 hereby declare that I am satisfied after
inspection of ..Unde..Hospital., Shrirampur.....

I hereby allow *renewal of license* for the Psychiatric Hospital/Nursing
Home by Dr. Sunil...Bapusaheb...Unde.....

At...Subhash Colony., Tal - Shrirampur.,.....

...Dist. Ahmednagar.....Tel No. 9822700442.

From...22/08/2018.....till...21/08/2023.....

License No....130/2018.....

SEAL



[Signature]
Licensing Authority